

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	11603	message adj2 sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:52
S11	330	message adj2 sequenc\$4 and SOAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:53
S12	18	message adj2 sequenc\$4 and SOAP and (matrix array) near4 message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:53
S13	2	(partition agglomerative graph-partition) adj paradigm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:57
S14	132	CLUTO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:57
S15	4922	cluster\$4 near3 (paradigm algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:58
S16	32	cluster\$4 near3 (paradigm algorithm) and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:58

S17	1	CLUTO and message near3 sequenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:05
S18	2	CLUTO and SOAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:06
S19	2114	(partition agglomerative graph adj partition\$4) near4 (classes cluster\$4 dataset\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:07
S20	10	S19 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:08
S21	50	(partition agglomerative graph adj partition\$4) near4 (classes cluster\$4 dataset\$1) and (analyze analysis study monitor) near4 (behavior purchase sales attacks)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:11
S22	2	(partition agglomerative graph adj partition\$4) near4 (classes cluster\$4 dataset\$1 data message \$1) same (analyze analysis study monitor) near4 (event\$1 behavior purchase sales attacks) and (SOAP XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:22
S23	88	(partition agglomerative graph adj partition\$4) near4 (classes cluster\$4 dataset\$1 data message \$1) and (analyze analysis study monitor) near4 (event\$1 behavior purchase sales attacks) and (SOAP XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:23

S24	32	(partition agglomerative graph adj partition\$4) near4 (classes cluster\$4 dataset\$1 data message \$1) and (analyze analysis study monitor) near4 (event\$1 behavior purchase sales attacks) and (SOAP XML) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:24
S25	1	(anomaly misuse intrusion) near4 network and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:38
S26	111	(anomaly misuse intrusion) near4 network and cluster\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:39
S27	0	(anomaly misuse intrusion) near4 network and cluster\$4 near3 alogirithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:39
S28	46	(anomaly misuse intrusion) near4 network and cluster\$4 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 17:55
S29	801	intrusion near3 network and sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 18:06
S30	10	intrusion near3 network and sequence with cluster \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 18:07
S31	7	intrusion near3 network and sequence and cluster \$4 adj analysis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 18:08

S32	1519	sequence and cluster\$4 adj analysis and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 18:15
S33	89	sequence with cluster\$4 adj analysis and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 18:15
S34	26	sequence with cluster\$4 adj analysis and @ad<"20031031" not nucleic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 18:15
S35	25	sequence and cluster\$4 adj analysis and @ad<"20031031" and SOAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 18:16
S36	2	("20030074106").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/28 17:01
S37	1	"20030074106".pn. and transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/28 17:13
S38	0	sequenc\$4 and intrusion and xml and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 15:39
S39	366	sequenc\$4 and intrusion and xml and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 15:39

S40	85	sequenc\$4 and cluster adj2 analysis and xml and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 15:39
S41	21	sequenc\$4 and cluster adj2 analysis and xml and (attack\$4 flood\$4 intrusion) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 15:43
S42	0	sequenc\$4 and cluster adj2 analysis and SOAP and (attack\$4 flood\$4 intrusion) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 15:45
S43	38	(US-20070229791-\$ or US- 20030158701-\$ or US- 20020189319-\$ or US- 20020140296-\$ or US- 20050121422-\$ or US- 20030158839-\$ or US- 20060182055-\$ or US- 20080104060-\$ or US- 20070282777-\$ or US- 20070233550-\$ or US- 20070005425-\$ or US- 20040042470-\$ or US- 20040034652-\$ or US- 20080134330-\$ or US- 20080133518-\$ or US- 20040098617-\$ or US- 20040054505-\$ or US- 20040015719-\$ or US- 20030145078-\$ or US- 20020188870-\$ or US- 20020133721-\$ or US- 20020099821-\$ or US- 20060212942-\$ or US- 20040103021-\$ or US- 20070294187-\$ or US- 20060236395-\$).did. or (US-20030236652-\$ or US- 20060069749-\$ or US- 20030083756-\$).did. or (US-6498352-\$ or US- 6058618-\$ or US- 5638179-\$ or US- 4782598-\$ or US- 4589746-\$ or US- 7043505-\$ or US- 6917972-\$ or US- 6088451-\$ or US-	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 17:20

		7143442-\$).did. or (US-6170163-B-\$).did.				
S44	30	((US-20070229791-\$ or US-20030158701-\$ or US-20020189319-\$ or US-20020140296-\$ or US-20050121422-\$ or US-20030158839-\$ or US-20060182055-\$ or US-20080104060-\$ or US-20070282777-\$ or US-20070233550-\$ or US-20070005425-\$ or US-20040042470-\$ or US-20040034652-\$ or US-20080134330-\$ or US-20080133518-\$ or US-20040098617-\$ or US-20040054505-\$ or US-20040015719-\$ or US-20030145078-\$ or US-20020188870-\$ or US-20020133721-\$ or US-20020099821-\$ or US-20060212942-\$ or US-20040103021-\$ or US-20070294187-\$ or US-20060236395-\$).did. or (US-20030236652-\$ or US-20060069749-\$ or US-20030083756-\$).did. or (US-6498352-\$ or US-6058618-\$ or US-5638179-\$ or US-4782598-\$ or US-4589746-\$ or US-7043505-\$ or US-6917972-\$ or US-6088451-\$ or US-7143442-\$).did. or (US-6170163-B-\$).did.) and sequenc\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 17:21
S45	1	"20040103021".pn. and sequence and cluster\$4 and (tcp ip)	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 17:37
S46	1	"20040103021".pn. and sequence	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 17:38
S47	1	"20040103021".pn. and sequenc\$3	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 17:40

S48	1	"20040103021".pn. and sequenc\$3 and cluster\$4 and threshold\$1 and (tcp ip)	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 17:40
S49	1	"20040103021".pn. and sequenc\$3 and cluster\$4 and threshold\$1 and (tcp ip) and normal	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 19:26
S50	1	"20040103021".pn. and sequenc\$3 and normal	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 19:26
S51	1	"20040103021".pn. and sequenc\$3 and attack\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2008/06/30 19:30
S52	1	"20040103021".pn. and sequenc\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:56
S53	1	"20040103021".pn. and sequenc\$2 and attack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 18:12
S54	2085	cluster adj2 analysis and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:37
S55	1576	cluster adj2 analysis and matrix and sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:38
S56	1672	cluster adj2 analysis and matrix and sequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:38
S57	262	cluster adj2 analysis and matrix and sequenc\$3 and (attack\$4 flood\$4 near\$3 ping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:38

S58	146	cluster adj2 analysis and matrix and sequenc\$3 and (attack\$4 flood\$4 near3 ping) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:38
S59	20	cluster adj2 analysis same matrix and sequenc\$3 and (attack\$4 flood\$4 near3 ping) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:39
S60	0	cluster adj2 analysis same matrix and sequenc\$3 and (attack\$4 near3 ping) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:40
S61	115	cluster adj2 analysis and data adj2 matrix and sequenc\$3 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:40
S62	0	ping adj2 (flood\$4 attack\$4) near4 (failure malfunction abnormality) and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:44
S63	0	ping adj2 (flood\$4 attack\$4) and message near3 sequenc\$4 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:45
S64	1703	(flood\$4 attack\$4) and message near3 sequenc\$4 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:45
S65	28	(flood\$4 attack\$4) with message near3 sequenc\$4 and @ad<"20031031"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:45

S66	1	"20040103021".pn. and (failure malfunction abnormality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 19:50
-----	---	---	---	----	-----	---------------------

7/ 5/ 2008 7:48:41 PM

C:\ Documents and Settings\ ddunn2\ My Documents\ EAST\ Workspaces\ mes_seq_06_29.w sp